

Double DIN Installation Manual


colour / part-no.: piano-black / 381210-16-1

(5) self-tapping screw with collar

- Nissan Micra (K13 Facelift) 09/2013->
- Nissan Note (E12) 10/2013->

Compatible with these double DIN devices

Double DIN Navigation



All installation work must be performed by a qualified professional installer only.

The manufacturer / dealer is not liable for any kind of incidential or indirect damages.

Nissan Micra



1. Unclip OEM bezel (see arrows)




Unplug plug and remove carefully



3. Remove 4 screws of OEM head unit

Nissan Note


7. Cut away 6 plastic hooks (plain to surface) at the rear side of OEM bezel





8. Connect cables and place OEM bezel over double DIN head unit to finish installation


Nissan Note



4. Pull OEM head unit towards your direction and unplug cables carefully. Remove OEM head unit



Mount facia plate and mounting frames to double DIN head unit






6. Connect all required circuit points

Place double DIN head unit on dashboard and fix it with 4 screws


Nissan Micra



4. Pull OEM head unit towards your direction and unplug cables carefully. Remove OEM head unit



5. Mount facia plate and mounting frames to double DIN head unit





Connect all required circuit points

Place double DIN head unit on dashboard and fix it with 4 screws

Nissan Micra

7. Cut away 6 plastic hooks (plain to surface) at the rear side of OEM bezel



Nissan Note



1. Unclip and remove OEM bezel (see arrows)



2. Unplug hazard light switch carefully (see arrow)



3. Connect cables and place
OEM bezel over double DIN
head unit to finish installation



3. Remove 4 screws of OEM head unit